

# Material Safety Data Sheet



# U.S. Department of Labor

May be used to comply with

OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

Occupational Safety and Health Administration

(Non-Mandatory Form)

Form Approved

OMB No. 1218-0072

<p>IDENTITY (As Used on Label and List)  <b>Bumper-to-Bumper™          Cleaner/Degreaser/Neutralizer</b></p>	<p>Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.</p>
--	--

## Section I

<p>Manufacturer's Name  <b>RoMix, Inc.</b></p>	<p>Emergency Telephone Number          800-255-3924 Chem-Tel</p>
<p>Address (Number, Street, City, State, and ZIP Code)          P.O. Box 1110</p>	<p>Telephone Number for Information          800-331-2243 RoMix, Inc.</p>
<p>Colleyville, TX 76034</p>	<p>Date Prepared          01/01/2011</p>
<p>Fax: (817) 685-0877 E-mail:          romix@sprynet.com</p>	<p>Signature of Preparer (optional)          C.W.</p>
<p></p>	<p></p>

## Section II - Hazard Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	%(optional)
Sodium Silicate, Pentahydrate	N/A	N/A	N/A	TS*
D.O.T. Shipping Name- Not Regulated				
D.O.T. Hazardous Class- Not Regulated				
UN/NA Number- Not Regulated				

## Section III - Physical/Chemical Characteristics

Boiling Point	210 F	Specific Gravity (H <sub>2</sub> O = 1)	1.361
Vapor Pressure (mm Hg.)	N/A	Melting Point	

			92.5
Vapor Density (AIR = 1)	N/A	Evaporation Rate (Butyl Acetate = 1)	1.32
Solubility in Water Yes = 100%			
Appearance and Odor Red/Cherry			

#### Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) None	Flammable Limits	LEL	UEL
Extinguishing Media None			
Special Fire Fighting Procedures None			
Unusual Fire and Explosion Hazards None			

(Reproduce locally)

OSHA 174, Sept. 1985

#### Section V - Reactivity Data

Stability	Unstable		Conditions to Avoid None
	Stable Yes	X	
Incompatibility ( <i>Materials to Avoid</i> ) None (Reagents neutralize Acids)			
Hazardous Decomposition or Byproducts None			
Hazardous Polymerization	May Occur		Conditions to Avoid None
	Will Not Occur No	X	

#### Section VI - Health Hazard Data

Route(s) of Entry: None – Non hazardous	Inhalation?	Skin?	Ingestion?
Health Hazards ( <i>Acute and Chronic</i> )			

N/A			
Carcinogenicity: Not Listed	NTP?	IARC Monographs?	OSHA Regulated?
Signs and Symptoms of Exposure			
Dermatitis, and dry skin			
Medical Conditions Generally Aggravated by Exposure			
N/A			
Emergency and First Aid Procedures			
Seek medical assistance for further treatment, observation and support if necessary. Immediately flush eyes and skin with water for 15 minutes. For ingestion drink large volumes of clear water. Do not induce vomiting. Seek medical assistance.			

**Section VII - Precautions for Safe Handling and Use**

Steps to Be Taken in Case Material is Released or Spilled
Flush all effected areas with clear water. Air dry.
Waste Disposal Method
Dilute concentration of waste with clear water and flush to standard sewer.
Precautions to Be taken in Handling and Storing
Keep out of reach of children. For industrial use only. Replace caps on containers.
Other Precautions
Protect container from extreme temperature. Read product label prior to use.

**Section VIII - Control Measures**

Respiratory Protection ( <i>Specify Type</i> ) None		
Ventilation	Local Exhaust Adequate	Special None
	Mechanical ( <i>General</i> ) <i>Room ventilation is satisfactory</i>	Other None
Protective Gloves PVC Coated or Neoprene rubber		Eye Protection Safety Glasses/ Face shield

Other Protective Clothing or Equipment  
Neo-rubber apron if desired, rubber boots, etc.

Work/Hygienic Practices  
Avoid contact with eyes; wash thoroughly after handling.

NFPA Rating: Health=1 Fire=0 Reactivity=0  
Special=B

\* U.S.G.P.O.: 1986 - 491 - 529/45775