


Material Safety Data Sheet



U.S. Department of Labor

May be used to comply with

OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

Occupational Safety and Health Administration

(Non-Mandatory Form)

Form Approved

OMB No. 1218-0072

IDENTITY <i>(As Used on Label and List)</i> “SLID-EZ #AR-4” ASPHALT RELEASE AGENT	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
--	---

Section I

Manufacturer's Name RoMix Chemical & Brush, Inc.	Emergency Telephone Number 1-800-255-3924 Chem-Tel
Address <i>(Number, Street, City, State, and ZIP Code)</i>	Telephone Number for Information 1-800-331-2243 RoMix, Inc.
P.O. Box 1110	Date Prepared 1/1/2011
Colleyville, TX 76034	Signature of Preparer <i>(optional)</i> C.W.

Section II - Hazard Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% <i>(optional)</i>
Non-DOT-regulated Not hazardous as defined by the OSHA hazard communication standard				
Not hazardous according to SARA 311/312-313 Meets EPA method 24 & 24a criteria (no VOC's)				
Contains no chemicals on California Proposition 65 list Contains no chemicals subject to SARA 302 or 313 reporting				
Contains no chemicals on CERCLA hazardous substance list. Contains no petroleum distillates				
This product is biodegradable and meets or exceeds TxDOT specification				
#TxDOT 190-90-19 per test method Tex-239-F and has been tested and approved by TxDOT.				
** The Hazcom Identification System:				
**HEALTH = 0				

**FLAMMABILITY = 0
**REACTIVITY = 0
**PERSONAL PROTECTION = 0

Section III - Physical/Chemical Characteristics

Boiling Point	212~F	Specific Gravity (H ₂ O = 1)	@25~C 0.98
Vapor Pressure (mm Hg.)	25~C	Melting Point	N/A
Vapor Density (AIR = 1)	>1	Evaporation Rate (Butyl Acetate = 1)	>1
Solubility in Water Yes, soluble			
Appearance and Odor milky white- coconut			

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) PMCC >300 ~C (572 ~F)	Flammable Limits N/A	LEL undetermined	UEL undetermined
Extinguishing Media Use carbon dioxide or dry chemical on small fires			
Special Fire Fighting Procedures Use foam (alcohol, polymer, or ordinary) and water spray for large fires.			
Self contained breathing apparatus and protective clothing should be worn in fighting fires involving chemicals.			
Unusual Fire and Explosion Hazards Static electricity is not expected to build up, and product is not sensitive to static.			

(Reproduce locally)

OSHA 174, Sept. 1985

Section V - Reactivity Data

Stability	Unstable	Conditions to Avoid
	Stable Yes	

Incompatibility (<i>Materials to Avoid</i>) Strong oxidizing material can cause a reaction			
Hazardous Decomposition or Byproducts Silicon dioxide, carbon oxides			
Hazardous Polymerization	May Occur		Conditions to Avoid None known
	Will Not Occur	X	

Section VI - Health Hazard Data

Route(s) of Entry:	Inhalation? No	Skin? No	Ingestion? Yes
Health Hazards (<i>Acute and Chronic</i>)			
Swallowing large amounts may cause digestive discomfort.			
Chronic: none specified			
Carcinogenicity: No	NTP? No	IARC Monographs? No	OSHA Regulated? No
Signs and Symptoms of Exposure			
Effects of overexposure: Contact with skin or eyes may cause temporary irritation. Oral contact from The fingers to the mouth should not cause injury. Swallowing large amounts may cause digestive discomfort.			
Medical Conditions Generally Aggravated by Exposure None specified			
Emergency and First Aid Procedures			
Flush eyes with copious amounts of water for a minimum of 15 minutes. Wash contacted skin area With soap and water. If irritation develops, consult a physician. Soaked clothing should be changed.			

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled
(Use appropriate safety equipment) Use absorbent material to collect and contain disposal.

Contain large spills and pump into a suitable tank. Wash area with suitable detergent and thoroughly rinse.

Waste Disposal Method

All local, state and federal regulations concerning health and pollution should be reviewed to determine approved disposal procedures.

Precautions to Be taken in Handling and Storing

Keep container closed and stored away from heat, sparks and open flame.

Other Precautions

None

Section VIII - Control Measures

Respiratory Protection (*Specify Type*)

None expected to be needed

Ventilation	Local Exhaust None should be needed	Special
	Mechanical (<i>General</i>) None should be needed	Other

Protective Gloves PVC-coated	Eye Protection Safety glasses
---------------------------------	----------------------------------

Other Protective Clothing or Equipment
Eye fountain and safety shower in work area.

Work/Hygienic Practices
Follow food industrial hygiene practices, wash hands before eating, smoking, etc.

NFPA: HEALTH :0, FIRE: 0, REACTIVITY: 0

* U.S.G.P.O.: 1986 - 491 - 529/45775